

## OpenText MBPM Quiz

### Key Concepts and Architecture

1. What is the visual representation of structured activities that are broken down into stage(s) and action(s)?  
**Process**
2. What is the connection point for the Metastorm BPM Designer to deploy BPM processes into the Metastorm Database?  
**Metastorm Deployment Service**
3. What is the name of the list of forms which initiate a listed process?  
**Blank Forms**

### Metastorm BPM Designer

1. What is the customizable toolbar containing a set of commands?  
**QAT**
2. How do you access the Metastorm BPM Designer options in order to personalize the preference settings?  
**Metastorm Button/Options**
3. What is the default “Process Model Style” setting in the Metastorm BPM Designer options?  
**Enhanced and Basic**

### MBPM Solution

1. What is the term for a step in the process where an action is required?  
**Stage**
2. Name the five action types.  
**User – Timed – Conditional – Flag - Rendezvous**
3. Name the four action line style types.  
**Direct – Curved – Rounded - Squared**

## Business Objects and Variables

1. Name the three Designer Business Objects.  
**Process Context - Process Data - Local**
2. What are the seven variable data types?  
**Check - Currency - DateTime - Integer - Real - Text - Memo**
3. What is the name of the variable which records the value of the user who created the folder?  
**FolderOriginator**
4. A folder is uniquely identified by which variable?  
**FolderId**

## Develop and use basic forms

1. In order for a form to access a process' custom variables, what must be bounded to the form?  
**Process Data Business Object**
2. Forms at a stage are displayed as \_\_\_\_\_.  
**Folder Pages/Tabs**
3. Form controls at a stage are \_\_\_\_\_.  
**Read Only**
4. Name the four possible field usages when a form is bound to an user action.  
**Optional - Required - Read Only - Hidden**
5. Forms can't be shared across Processes in the Project.  
**False**

## Defining Logical Decisions

1. All actions have the “Only start action if” property.  
**False**
2. A Conditional action can only lead from a System stage.  
**False**
3. If more than one Conditional action leads from a stage, what determines the order in which the conditions are evaluated?  
**Priority property**

## Group/Static Roles and Process Lanes

1. Name the two types of roles.  
**Group – Dynamic**
2. Name the six components in which roles are used to define their permissions.  
**User Action-Process Form - Administration Form - Report Form - To do List - Watch List**
3. Group roles are based on formulas/expressions.  
**False**